Breakout Session 8: Track B

Battling Bias in Sepsis Prediction: Towards an Informed Understanding of EMR Data and Its Limitations

Dr. Andre Holder

Assistant Professor, Emory University

Battling Bias in Sepsis Prediction: Towards an Informed Understanding of EMR Data and Its Limitations

Supplement tile: Ethics and Equity in Developing Artificial Intelligence models for Patients at Risk of Sepsis

Supplement to: Characterizing Patients at Risk for Sepsis
Through Big Data

Andre L. Holder, MD, MS, FCCM Assistant Professor of Medicine Division of Pulmonary, Allergy, Critical Care & Sleep Medicine Emory University School of Medicine Altanta GA, USA

Sepsis is common and deadly

- Most common cause of death in ICUs
- 5.3 million deaths per year globally
- "True" inpatient mortality unchanged

SIGNS OF SEPSIS







FEVER / SHIVERING OR VERY COLD

RAPID BREATHING

EXTREME PAIN /
PHYSICAL DISCOMFORT



PALE OR

MOTTLED SKIN






DISORIENTED /
CONFUSED AND SLEEPY /
DIFFICULT TO WAKE

ELEVATED HEART RATE

Earlier antibiotics = better outcomes, so...????



Bias

We define, for the first time, algorithmic bias in the context of AI and health systems as: "the instances when the application of an algorithm compounds existing inequities in socioeconomic status, race, ethnic background, religion, gender, disability or sexual orientation to amplify them and adversely impact inequities in health systems."

- Underrepresentation in training
- Measurement bias
 - Pulse oximetry
 - Temporal thermometers
- Implicit bias in:
 - Care (e.g. pain in the ED)
 - Data collection

Panch et al. *J Glob Health* 2019;9(2):020318 Charpignon et al, Crit Care Clin 2023;39:751–768 Sjoding et al, N Engl J Med 2020;383:2477-2478 Bhavani et al, JAMA 2022;328(9):885-886 Van der Vegt et al. JAMIA 2023;30(7):1349–1361

Why this matters (sample structured data)


Patient	Age	Sex	Race	Latino?	вмі	Temp	SpO2
1	35	М	Black	N	35	38.4	99
2	67	F	White	N	40	37.4	89
3	48	F	Black	Υ	31	36.6	90
4	65	М	Asian	N	29	37.3	99
5	87	F	White	N	27	39.1	100
6	67	М	White	Υ	36	38.0	98
7	79	М	White	N	29	37.8	96
8	58	F	Black	N	40	38.0	91

Lactate	WBC
???	8.6
1.7	10.6
???	3.4
2.5	26.9
1.5	5.0
???	4.7
3.0	9.9
2.3	12

Sepsis?
Υ
N
N
Υ
N
Υ
Υ
Υ

Project summary


- Aim: Develop a robust, ethicallyinformed model that will provide
 quantitative measures of the relative
 importance of demographic group
 labels in predicting disease among
 those susceptible to healthcare
 disparities
 - Ethics-focused component:
 Convene a multidisciplinary focus
 group
 - Algorithm-focused component:
 Develop a novel health equity metric



Focus group details

- Focus group goals
 - 1. Identify the groupings at risk
 - 2. Identify causes of *unequal sepsis care* that might also contribute to *inequitable prediction*
 - 3. Discuss algorithmic choices that could exacerbate inequalities
 - 4. Understand difference between perceived and actual risk of inequitable prediction
- 14 participants (4 clinicians, 3 data scientists, 2 ethicists, 5 advocates)
- Three sessions in 2023: 1/12, 1/26, & 1/30

Social bias effects on critical care prediction



Subgroup Performance Assessment, Detection & Evaluation (SPADE)




Figure 8: Algorithmic bias detection pipeline.

Sepsis model development pipeline






Figure 5: Data pre-processing and model development diagram.

- Model: XGBoost
 - Bayesian optimization
 - Tree-structured Parzen
 Estimator (TPE) approach




SPADE identifies bias by differences from mean performance within the cohort or on vert \(\leq 0.5 \\ \text{smples} = 0.114 \\ \text{smples} = 0.114 \\ \text{smples} = 0.811 \\ \text{value} = 0.811 \end{array}

- CART analysis
 - Test data only (2019-2020)
- 8 input (discriminating) features:
 - Race, age, gender, incarceration status, distance to hospital (based on home zip code), homelessness, insurance type, Elixhauser comorbidity index
- Optimization based on primary sepsis model (e.g., accuracy)
- Adjusting SPADE optimization changes the output



Advantages over other approaches

- Algorithm agnostic
- No a priori assumptions
- Captures intersectionality
- Not just limited to use on sensitive labels like race



Challenges


- Ethics-focused component
 - O How should we define bias?
 - Participants confused about the ask
 - No qualitative analysis background
 - Fitting focus group results into existing ethical frameworks
- Algorithm-focused component
 - Operationalizing bias
 - How? What metrics?
 - Working within the limits of some labels (e.g., SES, incarceration)

		Levels of Influence*						
		Individual	Interpersonal	Community	Societal			
	Biological	Biological Vulnerability and Mechanisms	Caregiver-Child Interaction Family Microbiome	Community Illness Exposure Herd Immunity	Sanitation Immunization Pathogen Exposure			
Domains of Influence (Over the Lifecourse)	Behavioral	Health Behaviors Coping Strategies	Family Functioning School/Work Functioning	Community Functioning	Policies and Laws			
	Physical/Built Environment	Personal Environment	Household Environment School/Work Environment	Community Environment Community Resources	Societal Structure			
	Digital Environment	Digital Literacy, Digital Self-Efficacy, Technology Access, Attitudes Towards Use	Implicit Tech Bias, Interdependence (e.g. shared devices), Patient-Tech-Clinician Relationship	Community Infrastructure, Healthcare Infrastructure, Community Tech Norms, Community Partners	Tech Policy, Data Standards, Design Standards, Social Norms & Ideologies, Algorithmic Bias			
	Sociocultural Environment	Sociodemographics Limited English Cultural Identity Response to Discrimination	Social Networks Family/Peer Norms Interpersonal Discrimination	Community Norms Local Structural Discrimination	Social Norms Societal Structura Discrimination			
	Health Care System	Insurance Coverage Health Literacy Treatment Preferences	Patient-Clinician Relationship Medical Decision-Making	Availability of Services Safety Net Services	Quality of Care Health Care Policie			
Health Outcomes		A Individual Health	Family/ Organizational Health	் Community	Population Health			

Fig. 1 Framework for digital health equity. National Institute on Minority Health and Health Disparities Research Framework Expanded for Digital Health Equity.

Future research

- Defining causes of bias (lack of data source variability? Measurement bias?)
- Implementation into an existing AI infrastructure



Summary

- We should probably assess bias in a very inclusive list of sociodemographic and comorbidity labels, but know their limits
- A post hoc, model-agnostic approach to identifying bias within certain patient subgroups is feasible
- SPADE has advantages over a priori decisions of bias detection
- Output can vary for the same model based on multiple factors
- This approach will need to be prospectively and externally validated, and operationalized in an actionable way to improve equity in sepsis prediction